

PRODUCT DATA SHEET

VERSION 1



UKT-60 Manual Pedestrian Gate

The UKT-60 is a manual full height pedestrian gate that can be used for multiple purposes. The maglock system can be integrated with an existing fire and access control system or can be manually controlled by an operator.

The gate comes complete with a maglock and door closure as standard and finished in powder coated black or to any exact RAL colour.

We also offer this gate in galvanized & stainless-steel finishes.


KEY PRODUCT FEATURES:

- Electric Motor Driven

TECHNICAL SPECIFICATIONS:

DESCRIPTION	VALUE	UNIT OF MEASUREMENT
Dimensions Closed	2125mm x 994mm x 295mm	H x W x D
Dimensions Open	2125mm x 994mm x 884mm	H x W x D
Weight	60	KG
Passage Width	850	mm
Throughput	30	Persons / min


DRAWINGS:




FRONT



SIDE (L)



BACK




TOP

DIMENSION TOLERANCES (Unless otherwise specified):		SCALE: NTS
FROM:	TO	TOLERANCE
0	25	+- 0.25
26	100	+- 0.50
101	250	+- 1.00
251	500	+- 1.50
501	1000	+- 2.50
1001	>	+- 3.00

APPROVALS:		PAGE SIZE: A4
Drawn:	----	----
Checked:	----	----
Approved:	----	----

DESCRIPTION:

**STD 994x2125 MAGLOCK
GATE & DOOR CLOSER -
LEFT HANDED**



ISOMETRIC (TR)