PRODUCT DATA SHEET

VERSION 1



UKT-30 FULL HEIGHT TURNSTILE

PRODUCT DATA SHEET | UKT-30 FULL HEIGHT TURNSTILE

The UKT-30 is a full height powder coated turnstile that can be supplied either with mechanical (non-powered assisted) or motorised operation. Our units only come in a 120° (three rota) position configuration. This wider design allows users to enter carrying small items like back packs while still providing secure access.

An LED display has been fitted into the lid directly above the walkway to show passage authorization. An active passage width of 585mm makes this product suitable for a wide range of environments where single or multiple lane access is required.

In the event of a fire alarm both mechanical & motorised units can be configured to free rotate.

KEY PRODUCT FEATURES:

- Mechanical (non-powered assisted) or motorised operation
- 120° rota position (3 rotas)
- Single or bi-directional passage
- Powder coated steel housing & rotas
- LED authorisation indicator
- Passage width 585mm
- Push-button remote-control panel included
- Compatible with all types of electronic access control systems

TECHNICAL SPECIFICATIONS:

DESCRIPTION	VALUE	UNIT OF MEASUREMENT
Dimensions	2290mm x 1495mm x 1380mm	HxWxD
Weight	232	KG
Passage Width	585	mm
Throughput	20	Persons / min
Electrical Input	230	V

ADDITIONAL OPTIONS:

This unit has additional access control mounting points if required.

Powder Coated	Galvanised	Galvanised & Powder Coated	Stainless Steel 304 & 316

DRAWINGS:

